L Number	Hits	Search Text	DB	Time stamp
1	974	709/227.ccls. and (@ad < 19990120 @rlad < 19990120)	USPAT;	2004/09/27 15:15
			US-PGPUB;	
			EPO; JPO;	
	,		DERWENT;	
		Toology 1 1 1 1 1 1 1 1 1	IBM_TDB USPAT;	2004/09/27 15:15
2	1365	709/224.ccls. and (@ad < 19990120 @rlad < 19990120)	US-PGPUB;	2004/03/27 13:13
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
3	275	709/248.ccls. and (@ad < 19990120 @rlad < 19990120)	USPAT;	2004/09/27 15:15
		, , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
4	2485	(709/227.ccls. and (@ad < 19990120 @rlad < 19990120))	USPAT;	2004/09/27 15:16
		(709/224.ccls. and (@ad < 19990120 @rlad < 19990120))	US-PGPUB;	
		(709/248.ccls. and (@ad < 19990120 @rlad < 19990120))	EPO; JPO;	
			DERWENT;	
_		/// 182 1 22	IBM_TDB USPAT;	2004/09/27 15:17
7	9	((((creat\$3 produc\$3 generat\$3 gathter\$3) with ((contact address phone) adj (list table register\$3 registrat\$3 book directory))) same	US-PGPUB;	2007/03/2/ 13.1/
		(call\$3 with (host server))) and (@ad < 19990120	EPO; JPO;	
		@rlad < 19990120)) not ((((creat\$3 produc\$3 generat\$3 gathter\$3)	DERWENT;	
		with ((contact address phone) adj (list table register\$3 registrat\$3	IBM TDB	
		book directory))) with (call\$3 with (host server))) and		
		(@ad < 19990120 @rlad < 19990120))		
6	35	(call\$3 with (contact adj list)) and (@ad < 19990120	USPAT;	2004/09/27 15:18
		@rlad < 19990120)	US-PGPUB;	
	4		EPO; JPO;	
			DERWENT;	
			IBM_TDB	2224/22/27 45 42
8	14	[***	USPAT;	2004/09/27 15:19
		phone) adj (list table register\$3 registrat\$3 book directory))) same	US-PGPUB;	
		(call\$3 with (host server))) and (@ad < 19990120	EPO; JPO; DERWENT;	
		@rlad < 19990120)	IBM TOB	
5	721	((709/227.ccls. and (@ad < 19990120 @rlad < 19990120))	USPAT;	2004/09/27 15:21
3	12.	(709/224.ccls. and (@ad < 19990120 @rlad < 19990120))	US-PGPUB;	
		(709/248.ccls. and (@ad < 19990120 @rlad < 19990120))) and	EPO; JPO;	
		@pd > 20011204	DERWENT;	
			IBM_TDB	
-	477068	mobile cellular pda (pch adj phone)	USPAT;	2003/05/28 10:13
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	2014	address ad: has de	IBM_TDB	2002/02/11 16 42
-	2914	address adj book	USPAT; US-PGPUB;	2003/03/11 16:43
			EPO; JPO;	
	~		DERWENT;	
			IBM TDB	
_	518	(mobile cellular pda (pch adj phone)) same (address adj book)	USPAT;	2003/03/11 16:27
	3,0	mostic serialar pad (peri da) priorie), same (dadress da) book)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1271062	direct (point adj3 point)	USPAT;	2003/03/11 16:34
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		*	IBM_TDB	

-	22745	(mobile cellular pda (pch adj phone)) same (direct (point adj3 point))	USPAT; US-PGPUB;	2003/03/11 16:38
		, Fem.,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	14832	((mobile cellular pda (pch adj phone)) same (direct (point adj3	USPAT;	2004/01/13 08:54
		point))) and (@ad < 19990120 @rlad < 19990120)	US-PGPUB;	
		•	EPO; JPO;	
		•	DERWENT; IBM_TDB	
	11	((mobile cellular pda (pch adj phone)) same (address adj book))	USPAT;	2003/03/11 16:38
-	''	same (direct (point adj3 point))	US-PGPUB;	2003/03/11 10/30
		sume (direct (point da)s pointy)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	:
-	31746	phone adj number) ((IP network) adj address	USPAT;	2003/03/11 17:20
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	4005	/wahila addulay ada (ada adi ahama)) ama a ///wahila adi ada adi	IBM_TDB USPAT;	2003/03/11 16:45
-	1895	(mobile cellular pda (pch adj phone)) same (((mobile cellular pda (pch adj phone)) same (address adj book)) direct near3	US-PGPUB;	2003/03/11 10:45
		communication)	EPO; JPO;	
		·	DERWENT;	
			IBM TDB	
-	1410	(direct (point adj3 point)) same ((mobile cellular pda (pch adj	USPĀT;	2003/03/11 16:45
		phone)) same (((mobile cellular pda (pch adj phone)) same	US-PGPUB;	
		(address adj book)) direct near3 communication))	EPO; JPO;	
-			DERWENT;	
			IBM_TDB	0000/00/44 4 = 04
-	855	((direct (point adj3 point)) same ((mobile cellular pda (pch adj	USPAT;	2003/03/11 17:21
		phone)) same (((mobile cellular pda (pch adj phone)) same (address adj book)) direct near3 communication))) and	US-PGPUB; EPO; JPO;	
		(@ad < 19990120 @rlad < 19990120)	DERWENT;	
		(Wad \ 15550120 Whad \ 15550120)	IBM TDB	·
_	4055	(phone adj number) ((IP network) adj address) near5 (table	USPAT;	2003/03/11 17:23
		database)	US-PGPUB;	
			EPO; JPO;	
ŀ			DERWENT;	
		W. L P L. MID	IBM_TDB	2002/02/44 17 65
-	558		USPAT;	2003/03/11 17:23
		database)) and (mobile cellular pda (pch adj phone))) and (@ad < 19990120 @rlad < 19990120)	US-PGPUB; EPO; JPO;	
		(Wate (1999) 120 Wild (1999)	DERWENT;	
			IBM TDB	
-	202	((phone adj number) ((IP network) adj address) near5 (table	USPAT;	2003/03/11 1 <i>7</i> :23
		_database))_same (direct (point adj3_point))	US-PGPUB;	
	T		EPO; JPO;	
			DERWENT;	
	111	((Inhono adi numbor) ((IR noturari) adi adduser) accur (table	IBM_TDB	2002/02/11 17 02
	111	(((phone adj number) ((IP network) adj address) near5 (table database)) same (direct (point adj3 point))) and (@ad < 19990120	USPAT; US-PGPUB;	2003/03/11 17:23
		@rlad < 19990120	EPO; JPO;	
		- Grade (1999) 120/	DERWENT;	
			IBM TDB	
_	11786	directory near5 (address phnone name id profile device)	USPAT;	2003/03/11 17:52
			US-PGPUB;	
· ·			EPO; JPO;	
			DERWENT;	
L			IBM_TDB	

				·
-	477068	mobile cellular pda (pch adj phone) same (directory near5 (address phnone name id profile device))	USPAT; US-PGPUB;	2003/03/11 17:48
		'	EPO; JPO;	
			DERWENT; IBM TDB	
-	477068	mobile cellular pda (pch adj phone) with (directory near5 (address	USPAT;	2003/03/11 17:49
		phnone name id profile device))	US-PGPUB;	
			EPO; JPO; DERWENT;	
·			IBM_TDB	,
-	477068	mobile cellular pda (pch adj phone) same (directory near5	USPAT;	2003/03/11 17:49
	*	(address phnone name id profile device))	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	864	device with (directory near5 (address phnone name id profile))	USPAT;	2003/03/11 17:53
			US-PGPUB; EPO; JPO;	
		*	DERWENT;	
			IBM_TDB	
-	280	central with (user near3 profile)	USPAT; US-PGPUB;	2003/05/22 10:06
			EPO; JPO;	
			DERWENT;	
	1045	(IBM_TDB	2002/05/22 10:24
-	1045	(portable mobile pda cellular) with ((phone address) near3 book)	USPAT; US-PGPUB;	2003/05/22 10:34
(10)		,	EPO; JPO;	
			DERWENT;	
	6	(central with (user near3 profile)) and ((portable mobile pda	IBM_TDB USPAT;	2003/05/22 10:04
		cellular) with ((phone address) near3 book))	US-PGPUB;	2003/03/22 10.01
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	23844	(server host central) with ((user person\$3) near3 (information	USPAT;	2003/05/22 10:04
*		profile))	US-PGPUB;	
			EPO; JPO; DERWENT;	•
			IBM_TDB	
-	164	((server host central) with ((user person\$3) near3 (information	USPAT;	2003/05/22 10:04
		profile))) and ((portable mobile pda cellular) with ((phone address) near3 book))	US-PGPUB; EPO; JPO;	
		Tiems booky	DERWENT;	
	_	// L	IBM_TDB	000010-1
-	8	((server host central) with ((user person\$3) near3 (information profile))) same ((portable mobile pda cellular) with ((phone	USPAT; US-PGPUB;	2003/05/22 10:04
		address) near3 book))	EPO; JPO;	
`			DERWENT;	
_	257430	(obtain\$3 get\$4), near5 (profile information contact)		2003/05/22 10:00
	23, 430	(comme good) hours (prome information contact)	US-PGPUB;	2003/03/22 10:09
			EPO; JPO;	,
				,
-	10	((portable mobile pda cellular) with ((phone address) near3 book))	USPAT;	2003/05/22 10:23
		same ((obtain\$3 get\$4) near5 (profile information contact))	US-PGPUB;	
			EPO; JPO;	
1			IBM TDB	
-	257430 10	(obtain\$3 get\$4) near5 (profile information contact) ((portable mobile pda cellular) with ((phone address) near3 book))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/22 10:09

-	143193	(retriev\$3 acquir\$3 request\$3 obtain\$3 get\$4) near3 (name	USPAT;	2003/05/22 10:27
ļ		number (contact adj information))	US-PGPUB;	
		·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	9246	((retriev\$3 acquir\$3 request\$3 obtain\$3 get\$4) near3 (name	USPAT;	2003/05/22 10:27
		number (contact adj information))) with (central host server	US-PGPUB;	
		provider)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2996	(((retriev\$3 acquir\$3 request\$3 obtain\$3 get\$4) near3 (name	USPAT;	2003/05/22 10:35
		number (contact adj information))) with (central host server	US-PGPUB;	
		provider)) and (portable mobile pda cellular)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	504	(((retriev\$3 acquir\$3 request\$3 obtain\$3 get\$4) near3 (name	USPAT;	2003/05/22 10:36
		number (contact adj information))) with (central host server	US-PGPUB;	
		provider)) same (portable mobile pda cellular)	EPO; JPO;	
			DERWENT;	
		·	IBM TDB	
_	144	(((((retriev\$3 acquir\$3 request\$3 obtain\$3 get\$4) near3 (name	USPAT;	2003/05/22 11:36
		number (contact adj information))) with (central host server	US-PGPUB;	
		provider)) same (portable mobile pda cellular)) same (connect\$3)	EPO; JPO;	
		provider, y same (portable mostle pair continuity)	DERWENT;	
			IBM_TDB	1
	53	((((((retriev\$3 acquir\$3 request\$3 obtain\$3 get\$4) near3 (name	USPAT;	2003/05/22 11:52
] -		number (contact adj information))) with (central host server	US-PGPUB;	2003/03/22 11.32
		provider)) same (portable mobile pda cellular)) same (connect\$3))	EPO; JPO;	v. V
		and (@ad < 19990120 @rlad < 19990120)	DERWENT;	
		and (wau < 19990120 what < 19990120)	IBM_TDB	
	103960	(send\$3 transmit\$3) near3 (name number aDDRESS)	USPAT;	2003/05/22 11:35
-	103900	(Serio \$5 (ransmit \$5) near5 (name number abbit 255)	US-PGPUB;	2003/03/22 11.33
	1		EPO; JPO;	
			DERWENT;	
		XI	IBM TDB	
	74	((((((retriev\$3 acquir\$3 request\$3 obtain\$3 get\$4) near3 (name	USPAT;	2003/05/22 11:36
-	/4	number (contact adj information))) with (central host server	US-PGPUB;	2003/03/22 11.30
	,	provider)) same (portable mobile pda cellular)) same (connect\$3))	EPO; JPO;	
		and ((send\$3 transmit\$3) near3 (name number aDDRESS))	DERWENT;	
		and ((sendas transmitas) nears (name number abbitcss))		*
	20	(((((((retriev\$3 acquir\$3 request\$3 obtain\$3 get\$4) near3 (name	IBM_TDB	2003/05/22 11:45
-	28	number (contact adj information))) with (central host server	USPAT; US-PGPUB;	2003/05/22 11:45
		provider)) same (portable mobile pda cellular)) same (connect\$3))	EPO; JPO;	
	İ	and ((send\$3 transmit\$3) near3 (name number aDDRESS))) and	DERWENT;	
	1	(@ad < 19990120 @rlad < 19990120)	IBM TDB	
	9.4	(@ad < 19990120)	_	2003/05/22 11:45
-	84	priorie.com .as.	USPAT;	2003/03/22 11:43
	 		US-PGPUB; EPO; JPO;	
		1		
	1		DERWENT;	
	36	"nhone com" as and (@ad < 10000130 @al-1 < 10000130)	IBM_TDB	2002/05/22 11:40
-	36	"phone.com".as. and (@ad < 19990120 @rlad < 19990120)	USPAT;	2003/05/22 11:48
			US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
	100000		IBM_TDB	0000/07/22
-	192869	(direct near3 (commuication connection)) (Point adj2 point) PPP	USPAT;	2003/05/22 11:51
			US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	

-	28	((send\$3 transmit\$3) near3 (name number aDDRESS)) same	USPAT;	2003/05/22 11:52
		((direct near3 (commuication connection)) (Point adj2 point) PPP)	US-PGPUB;	
	l	same ((retriev\$3 acquir\$3 request\$3 obtain\$3 get\$4) near3 (name	EPO; JPO;	
		number (contact adj information)))	DERWENT;	
		,,,,	IBM TDB	
	17	(((send\$3 transmit\$3) near3 (name number aDDRESS)) same	USPAT;	2003/05/22 12:03
	''	((direct near3 (commuication connection)) (Point adj2 point) PPP)	US-PGPUB;	
		same ((retriev\$3 acquir\$3 request\$3 obtain\$3 get\$4) near3 (name	EPO; JPO;	
		same ((remeys) acquirs) requests obtains gets, nears (name	DERWENT:	
		number (contact adj information)))) and (@ad < 19990120	IBM TDB	
		@rlad < 19990120)		2002/05/22 12:01
-	20500	display\$3 near3 name	USPAT;	2003/05/22 12:01
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		·	IBM_TDB	
-	4132	(phone address) adj book	USPAT;	2003/05/22 11:59
			US-PGPUB;	•
	1	*	EPO; JPO;	
			DERWENT;	
			IBM TDB	
	634	conceal\$3 near3 (number address)	USPAT;	2003/05/22 12:02
[-	634	Conceargo nearo (number address)	US-PGPUB;	2003/03/22 12:02
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	//
-	0	((((retriev\$3 acquir\$3 request\$3 obtain\$3 get\$4) near3 (name	USPAT;	2003/05/22 12:00
		number (contact adj information))) with (central host server	US-PGPUB;	
		provider)) and (portable mobile pda cellular)) and (display\$3	EPO; JPO;	
		near3 name) and ((phone address) adj book) and (conceal\$3	DERWENT;	
		near3 (number address))	IBM_TDB	
_	387	((((retriev\$3 acquir\$3 request\$3 obtain\$3 get\$4) near3 (name	USPAT;	2003/05/22 12:01
		number (contact adj information))) with (central host server	US-PGPUB;	
	-	provider)) and (portable mobile pda cellular)) and (display\$3	EPO; JPO;	
		near3 name)	DERWENT;	*
		Tical S name /	IBM TDB	
	1	((((((retriev\$3 acquir\$3 request\$3 obtain\$3 get\$4) near3 (name	USPAT;	2003/05/22 12:00
-	'	number (contact adj information))) with (central host server	US-PGPUB;	2003/03/22 12:00
		provider)) and (portable mobile pda cellular)) and (display\$3	EPO; JPO;	
		near3 name)) and (conceal\$3 near3 (number address))	DERWENT;	
			IBM_TDB	2002/05/20 12 25
-	91	((phone address) adj book) not (number address)	USPAT;	2003/05/22 12:02
			US-PGPUB;	
			EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	
-	0	(((((((retriev\$3 acquir\$3 request\$3 obtain\$3 get\$4) near3 (name	USPĀT;	2003/05/22 12:03
		number (contact adj_information))) with (central host server	US-PGPUB;	
		provider)) and (portable mobile pda cellular)) and (display\$3	EPO; JPO;	
	1	near3 name)) and ((phone address) adj book)) and (((phone	DERWENT;	
		address) adj book) not (number address))	IBM TDB	
1_	51	(((phone address) adj book) not (number address)) and	USPAT;	2003/05/22 12:08
1	31			2003/03/22 12:00
		(@ad < 19990120 @rlad < 19990120)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB .	
-	40	(((((retriev\$3 acquir\$3 request\$3 obtain\$3 get\$4) near3 (name	USPAT;	2003/05/22 12:06
		number (contact adj information))) with (central host server	US-PGPUB;	
		provider)) and (portable mobile pda cellular)) and (display\$3	EPO; JPO;	
		near3 name)) and ((phone address) adj book)	DERWENT;	
		,,,	IBM TDB	
L		I	1.5, 5.5	

-	24	((((((retriev\$3 acquir\$3 request\$3 obtain\$3 get\$4) near3 (name	USPAT;	2003/05/22 12:08
		number (contact adj information))) with (central host server	US-PGPUB;	
		provider)) and (portable mobile pda cellular)) and (display\$3	EPO; JPO;	
		near3 name)) and ((phone address) adj book)) and	DERWENT;	
	_	(@ad < 19990120 @rlad < 19990120)	IBM_TDB	2002/05/22 42 62
-	92	((server host central) with ((user person\$3) near3 (information	USPAT;	2003/05/22 12:08
		profile))) same (display\$3 near3 name)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	30	///	IBM_TDB	2003/05/22 12:08
-	32	(((server host central) with ((user person\$3) near3 (information	USPAT; US-PGPUB;	2003/03/22 12:00
		profile))) same (display\$3 near3 name)) and (@ad < 19990120	EPO; JPO;	
		@rlad < 19990120)	DERWENT;	
			IBM_TDB	
l _	2138	709/224.ccls.	USPAT;	2003/05/22 12:47
	2130	7007## TICOIDI	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	319	709/224.ccls. and (@ad19990120 @rlad < 19990120)	USPAT;	2003/05/22 12:49
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	54	(709/224.ccls. and (@ad19990120 @rlad < 19990120)) and (point	USPAT;	2003/05/22 12:49
		near2 point)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2002/12/12 12 22
-	24199	(get\$4 obtain\$3 retriev\$3 acquir\$3 receiv\$3 ask\$3 interrogat\$3	USPAT;	2003/12/18 12:28
		query\$3) with (contact identification connect address) with (server	US-PGPUB;	
		host)	EPO; JPO;	
			DERWENT; IBM TDB	
	382519	direct\$3 near3 connect\$3	USPAT;	2003/12/18 12:29
	302319	antelips hears connectips	US-PGPUB;	2003/12/10 12:23
			EPO; JPO;	
			DERWENT;	
	·		IBM TDB	
-	386	((get\$4 obtain\$3 retriev\$3 acquir\$3 receiv\$3 ask\$3 interrogat\$3	USPAT;	2003/12/18 12:29
		query\$3) with (contact identification connect address) with (server	US-PGPUB;	
10		host)) same (direct\$3 near3 connect\$3)	EPO; JPO;	
			DERWENT;	
		* .	IBM_TDB	
-	99	(((get\$4 obtain\$3 retriev\$3 acquir\$3 receiv\$3 ask\$3 interrogat\$3	USPAT;	2003/12/18 12:30
		query\$3) with (contact identification connect address) with (server	US-PGPUB;	
		host)) same (direct\$3 near3 connect\$3)) same (display\$3	EPO; JPO;	
		present\$3 hid\$3 show\$3 conceal\$4)	DERWENT;	
		((((got \$4 abtain \$2 yatrian \$2 appril \$2 appr	IBM_TDB	2002/12/10 12 21
-	66	((((get\$4 obtain\$3 retriev\$3 acquir\$3 receiv\$3 ask\$3 interrogat\$3	USPAT;	2003/12/18 12:31
	-	query\$3) with (contact identification connect address) with (server host)) same (direct\$3 near3 connect\$3)) same (display\$3	US-PGPUB;	
		present\$3 hid\$3 show\$3 connect\$3)) same (display\$3	EPO; JPO; DERWENT;	
		@rlad < 19990120 @rlad < 19990120	IBM TDB	
_	5956	\$3relat\$3 with ((url ip mac network phone number address) near5	USPAT;	2004/01/12 11:12
	3930	(name sex race origin nationality preference))	US-PGPUB;	2007/01/12 11:12
		thame sex race origin nationality preference//	EPO; JPO;	
		1	DERWENT;	•
			IBM TDB	
L	I	I	_ 10111_1DD	i l

-	825	(\$3relat\$3 with ((url ip mac network phone number address) near5	USPAT;	2004/01/12 11:14
		(name sex race origin nationality preference))) same (connect\$3	US-PGPUB; EPO; JPO;	
		authenticat\$3)	DERWENT;	
			IBM_TDB	
	304	((\$3relat\$3 with ((url ip mac network phone number address)	USPAT;	2004/01/12 11:15
-	304	near5 (name sex race origin nationality preference))) same	US-PGPUB;	200 110 11 12 11:13
		(connect\$3 authenticat\$3)) same (network)	EPO; JPO;	
		(connects authenticats)) same (network)	DERWENT;	
		,	IBM TDB	
_	125	(((\$3relat\$3 with ((url ip mac network phone number address)	USPAT;	2004/01/12 11:15
İ		near5 (name sex race origin nationality preference))) same	US-PGPUB;	
		(connect\$3 authenticat\$3)) same (network)) and (@ad < 19990120	EPO; JPO;	
		@rlad < 19990120)	DERWENT;	,
			IBM_TDB	
- *	8834	\$3relat\$3 with ((url ip mac network phone number address) near5	USPAT;	2004/01/12 12:03
		(name sex race origin nationality preference ((user device) near3	US-PGPUB;	
		information)))	EPO; JPO;	
1			DERWENT;	
1			IBM_TDB	2004/01/12 12 11
-	1589	(\$3relat\$3 with ((url ip mac network phone number address) near5	USPAT;	2004/01/12 12:44
1		(name sex race origin nationality preference ((user device) near3	US-PGPUB;	
1		information)))) same (connect\$3 authenticat\$3)	EPO; JPO; DERWENT;	
			IBM TDB	
1	904	((\$3relat\$3 with ((url ip mac network phone number address)	USPAT;	2004/01/12 11:15
-	904	near5 (name sex race origin nationality preference ((user device)	US-PGPUB;	2007/01/12 11:13
}		near3 information)))) same (connect\$3 authenticat\$3)) same	EPO; JPO;	
		(network)	DERWENT;	
-			IBM TDB	
-	307	(((\$3relat\$3 with ((url ip mac network phone number address)	USPAT;	2004/01/12 12:00
		near5 (name sex race origin nationality preference ((user device)	US-PGPUB;	
1		near3 information)))) same (connect\$3 authenticat\$3)) same	EPO; JPO;	·
1		(network)) and (@ad < 19990120 @rlad < 19990120)	DERWENT;	
			IBM_TDB	
-	152126	(directory adj service) "411"	USPAT;	2004/01/12 11:21
			US-PGPUB;	
		•	EPO; JPO;	
			DERWENT;	
	16052	(/diseases add contine) ((4441)) (42 44 4 42 42 42 42 42 42 42 42 42 42 42	IBM_TDB	2004/04/42 42 04
-	16053	((directory adj service) "411") same (connect\$3 authenticat\$3)	USPAT;	2004/01/12 12:04
		•	US-PGPUB; EPO; JPO;	
			DERWENT;	
		,	IBM TDB	
_	16056	7same (((directory adj service) "411") same (connect\$3	USPAT;	2004/01/12 11:21
		authenticat\$3))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	20	(\$3relat\$3 with ((url ip mac network phone number address) near5	USPAT;	2004/01/12 11:17
		(name sex race origin nationality preference ((user device) near3	US-PGPUB;	
1		information)))) same (((directory adj service) "411") same	EPO; JPO;	
1		(connect\$3 authenticat\$3))	DERWENT;	
		ncn	IBM_TDB	
-	148994	"411"	USPAT;	2004/01/12 11:21
-30			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
L	L		IBM TDB	

-	15	(\$3relat\$3 with ((url ip mac network phone number address) near5	USPAT;	2004/01/12 12:00
		(name sex race origin nationality preference ((user device) near3	US-PGPUB;	•
		information)))) same "411"	EPO; JPO;	
			DERWENT;	, and the second
		i	IBM TDB	
	1792	709/227.ccls.	USPAT;	2004/01/12 12:00
	1,32	7 OSTEET TOOLS.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	920	709/227.ccls. and (@ad < 19990120 @rlad < 19990120)	USPAT;	2004/09/27 15:14
			US-PGPUB;	•
		·	EPO; JPO;	
			DERWENT;	
			IBM TDB	
	470	((709/227.ccls. and (@ad < 19990120 @rlad < 19990120)) and	USPAT;	2004/09/27 15:17
-	470		US-PGPUB;	200-1/03/2/ 13:17
		((url ip mac network phone number address) near5 (name sex race		
		origin nationality preference ((user device) near3 information))))	EPO; JPO;	
	· ·	and (connect\$3 authenticat\$3)	DERWENT;	
			IBM_TDB	
-	472	(709/227.ccls. and (@ad < 19990120 @rlad < 19990120)) and	USPAT;	2004/01/12 12:44
		((url ip mac network phone number address) near5 (name sex race	US-PGPUB;	
1	1	origin nationality preference ((user device) near3 information)))	EPO; JPO;	
		Singin viationality protections ((abov. dovice) visuals (intervials))	DERWENT;	
			IBM TDB	
	275			2004/01/12 12:44
-	275	display\$3 near3 (contact adj information)	USPAT;	2004/01/12 12:44
			US-PGPUB;	
	-		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	23	(display\$3 near3 (contact adj information)) same (connect\$3	USPĀT;	2004/01/12 12:44
1		authenticat\$3)	US-PGPUB;	
		,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	1	(/display.f2 many) (name of odi information)) some (name off)		2004/01/12 12:45
-	1	((display\$3 near3 (contact adj information)) same (connect\$3	USPAT;	2004/01/12 12:45
		authenticat\$3)) and (@ad < 19990120 @rlad < 19990120)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	130	call\$3 with (contact adj list)	USPĀT;	2004/01/13 08:47
		*	US-PGPUB;	*
	.[EPO; JPO;	
			DERWENT;	
		·		
	F2720	(compared and decomplete of the first state of the compared of	IBM_TDB	2004/04/42 20 72
-	52738	(contact address phone) adj (list table register\$3 registrat\$3 book	USPAT;	2004/01/13 08:52
	ļ	directory)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	33474	call\$3 with (host server)	USPAT;	2004/01/13 08:54
			US-PGPUB;	
			EPO; JPO;	
		·		
			DERWENT;	
			IBM_TDB	
-	7887164	creat\$3 produc\$3 generat\$3 gathter\$3	USPAT;	2004/01/13 08:54
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	*		IBM TDB	
	<u> </u>	L		l

-	9192	(creat\$3 produc\$3 generat\$3 gathter\$3) with ((contact address	USPAT;	2004/01/13 08:55
		phone) adj (list table register\$3 registrat\$3 book directory))	US-PGPUB;	
			EPO; JPO;	
		`	DERWENT;	
			IBM_TDB	
	15	((creat\$3 produc\$3 generat\$3 gathter\$3) with ((contact address	USPAT;	2004/01/13 08:59
		phone) adj (list table register\$3 registrat\$3 book directory))) with	US-PGPUB;	
		(call\$3 with (host server))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	5	(((creat\$3 produc\$3 generat\$3 gathter\$3) with ((contact address	USPAT;	2004/01/13 09:06
		phone) adj (list table register\$3 registrat\$3 book directory))) with	US-PGPUB;	
		(call\$3 with (host server))) and (@ad < 19990120	EPO; JPO;	
		@rlad < 19990120)	DERWENT;	
			IBM_TDB	
	34		USPAT;	2004/01/13 08:59
		phone) adj (list table register\$3 registrat\$3 book directory))) same	US-PGPUB;	
		(call\$3 with (host server))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	14	(((creat\$3 produc\$3 generat\$3 gathter\$3) with ((contact address	USPAT;	2004/09/27 15:17
		phone) adj (list table register\$3 registrat\$3 book directory))) same	US-PGPUB;	
		(call\$3 with (host server))) and (@ad < 19990120	EPO; JPO;	·
		@rlad < 19990120)	DERWENT;	
			IBM_TDB	
	9	((((creat\$3 produc\$3 generat\$3 gathter\$3) with ((contact address	USPAT;	2004/09/27 15:17
		phone) adj (list table register\$3 registrat\$3 book directory))) same	US-PGPUB;	
		(call\$3 with (host server))) and (@ad < 19990120	EPO; JPO;	
		@rlad < 19990120)) not ((((creat\$3 produc\$3 generat\$3 gathter\$3)	DERWENT;	
		with ((contact address phone) adj (list table register\$3 registrat\$3	IBM_TDB	
		book directory))) with (call\$3 with (host server))) and		
		(@ad < 19990120 @rlad < 19990120))		
	31	(call\$3 with (contact adj list)) and (@ad < 19990120	USPAT;	2004/09/27 15:16
		@rlad < 19990120)	US-PGPUB;	
			EPO; JPO;	·
	1		DERWENT;	
			IRM TOR	